Deeper Sleep Habits Checklist

The nightly habits that actually improve deep sleep after 60

☐ Get 15 minutes of morning sunlight daily

Step outside within one hour of waking, even on overcast days. Sit near a window facing the light or walk around the block without sunglasses. This anchors your circadian clock and determines when your brain will release melatonin in the evening. Doing this consistently for two weeks produces a measurable shift in sleep timing for most people.

☐ Stop all caffeine by 1 PM each day

This includes coffee, black and green tea, energy drinks, and many soft drinks. Check the labels on any afternoon beverages you enjoy. If you are sensitive to caffeine or take medications that slow its metabolism, consider moving your cutoff to noon. Herbal teas such as chamomile or peppermint are good afternoon alternatives.

☐ Set your bedroom temperature to 65-68 degrees F

Adjust your thermostat before you begin your wind-down routine so the room has time to cool. If you share a bed with a partner who prefers different temperatures, a dual-zone cooling mattress pad allows each person to set their own side. Lightweight, breathable bedding made from cotton or bamboo also helps the body regulate temperature during the night.

☐ Go screen-free at least 60 minutes before bed

Turn off televisions, phones, tablets, and computers at least one hour before your intended sleep time. The blue-wavelength light from these screens suppresses melatonin production and signals the brain to remain alert. Replace screen time with reading a physical book, gentle stretching, listening to calm music, or a warm bath. Dim the lights in your living space during this wind-down window as well.

☐ Wake at the same time every day, including weekends

Choose a wake time that is realistic and sustainable, then set an alarm and honor it daily. The consistency of your rising time is more important than your bedtime for anchoring your circadian rhythm. If you must shift your schedule occasionally, try to stay within 30 minutes of your usual time. Post your target wake time somewhere visible as a daily reminder.

☐ Keep any afternoon nap to 20 minutes or less

If you nap, do so before 3 PM to avoid interfering with nighttime sleep pressure. Set a timer for 20 minutes and sit in a recliner or lie on a couch rather than your bed, which helps prevent falling into a deeper sleep. A brief rest at this length leaves you feeling refreshed without reducing your drive to sleep deeply at night.

☐ Finish alcohol at least three hours before bed

If you drink, have your last alcoholic beverage well before your wind-down routine begins. Alcohol consumed closer to bedtime suppresses slow-wave sleep and causes nighttime awakenings as your body processes it. Limiting yourself to one drink and moving it to the early evening hours preserves far more of your sleep quality than eliminating alcohol entirely while still drinking it late.

☐ Take a warm shower or bath 60-90 minutes before bed

Spend at least ten minutes in warm water, then allow your body to cool naturally before getting into bed. This deliberate heating and cooling of the skin triggers a drop in core body temperature that sends a powerful sleep signal to the brain. This technique is backed by consistent research and is particularly effective for adults who struggle to fall asleep quickly.

☐ Darken your bedroom completely before sleep

Install blackout curtains or use a well-fitted sleep mask to block streetlights, hallway light, and device indicator lights. Cover or remove any electronics that emit even small amounts of light, including clock displays. If you need a light to navigate safely at night, use a dim red-spectrum nightlight, as red light has the least disruptive effect on melatonin.

☐ Avoid eating a large meal within two hours of bed

Heavy digestion raises core body temperature and activates the metabolic processes that compete with sleep. If you are hungry before bed, a small, low-sugar snack such as a handful of almonds, a small bowl of oatmeal, or a piece of fruit is a better option than ignoring hunger entirely, since falling blood sugar can also disrupt sleep. Keep the portion small and finish it at least 90 minutes before lights out.

☐ Write down tomorrow's tasks before your wind-down begins

Spend five minutes creating a short list of what needs to happen the following day, then set it aside. Research from Baylor University found that writing a to-do list before bed reduced the time it took participants to fall asleep, likely because it offloads the mental holding pattern of trying to remember unfinished tasks. A simple notepad on your bedside table is all you need.

☐ Practice slow, diaphragmatic breathing as you settle in

Once in bed, spend five minutes breathing slowly and deeply, allowing your belly to rise on the inhale and fall on the exhale. A simple pattern such as inhaling for four counts and exhaling for six activates the parasympathetic nervous system and begins lowering heart rate and cortisol levels. This is not a meditation requirement. It is a physiological shift that prepares the body for deeper sleep stages.

☐ Reserve your bed for sleep and rest only

Avoid reading, watching content, eating, or working in bed. When the brain associates the bed with wakefulness and stimulation, it resists switching into sleep mode upon lying down. Over time, keeping bed a single-purpose space conditions a strong mental association between being in bed and being asleep, making it easier to fall asleep quickly and stay in deeper sleep stages longer.

What to Do Next

Print this checklist and keep it somewhere visible for the first two weeks as you build these habits into your routine. Track which items feel easiest to adopt first and layer the others in gradually, rather than attempting every change at once. If sleep problems persist despite consistent effort with these habits, speak with your primary care physician, as conditions such as sleep apnea, restless legs syndrome, or medication interactions may need professional evaluation.

Print this page. Work through one box at a time. Every box you check is one more layer of protection.