Senior Meal Planner

A 7-day plan built for muscle preservation and hydration

- [ ] **Aim for 25 to 30 grams of protein at breakfast**

Do not wait until dinner to load your protein. Each morning, choose a breakfast built around a high-quality protein source. Two whole eggs with a half cup of cottage cheese delivers roughly 28 grams. Greek yogurt with a tablespoon of hemp seeds and a hard-boiled egg on the side is another reliable option. Prepare components the night before if mornings are rushed.

- [ ] **Day 1 breakfast: Greek yogurt protein bowl**

Combine 1 cup of plain full-fat or 2-percent Greek yogurt with a quarter cup of granola, a handful of berries, and one tablespoon of chia seeds. This delivers approximately 20 to 22 grams of protein from the yogurt alone. Add one hard-boiled egg on the side to reach the 25 to 30 gram target. Drink one full glass of water before or during breakfast.

- [ ] **Day 1 lunch: tuna and white bean salad**

Mix one 5-ounce can of water-packed tuna with half a cup of rinsed white beans, diced cucumber, olive oil, and lemon juice. Tuna provides roughly 25 grams of protein and beans add an additional 7 grams, making this a 30-plus gram meal that also delivers fiber and hydrating vegetables. Serve over leafy greens and drink a full glass of water with the meal.

- [ ] **Day 1 dinner: baked salmon with lentils**

Bake a 4-ounce salmon fillet at 400 degrees for 12 to 15 minutes. Serve with three-quarters of a cup of cooked green or brown lentils seasoned with garlic and cumin. Salmon contributes roughly 25 grams of protein and lentils add 13 grams, giving this dinner a strong protein foundation while also delivering omega-3 fatty acids beneficial for joint inflammation. Log your final two glasses of water for the day.

- [ ] **Track all 8 glasses of water each day**

Place checkboxes — either in a notebook or on a printed tracker — for 8 glasses of water each day. Mark off each glass as you drink it. Distribute intake across the morning, midday, afternoon, and early evening. Avoid drinking large quantities late at night to minimize sleep disruption. If you struggle with plain water, add lemon, cucumber slices, or a small splash of no-sugar-added juice for flavor.

- [ ] **Use mid-morning snacks to bridge protein gaps**

If more than four hours pass between breakfast and lunch, add a small protein-containing snack to keep muscle protein synthesis elevated. One or two hard-boiled eggs, a piece of string cheese, or a quarter cup of edamame are each quick, low-preparation options that provide 6 to 12 grams of protein. Pair any snack with a full glass of water to also advance your daily hydration goal.

☐ Include fish at least twice during the week

Fatty fish like salmon, sardines, trout, and mackerel provide both high-quality protein and anti-inflammatory omega-3 fatty acids, which research associates with reduced joint pain and improved muscle health in older adults. Aim for at least two fish-based dinners per week. Canned salmon and sardines are budget-friendly options that require no cooking and still deliver the same nutritional benefits as fresh fish.

☐ Add a plant protein to at least one meal daily

Legumes, tofu, edamame, quinoa, and hemp seeds are plant-based protein sources that also provide fiber, which supports digestive health and helps regulate blood sugar. Adding half a cup of lentils or black beans to a lunch salad, or including silken tofu in a breakfast smoothie, diversifies your amino acid profile and makes protein targets more achievable across the week without relying solely on meat or dairy.

☐ Start each morning with a full glass of water

The body loses water overnight through respiration and perspiration without any intake to replace it. Drinking one full glass of water within 15 minutes of waking helps reverse overnight dehydration, supports morning digestion, and counts as your first of eight daily glasses. Keep a filled glass or water bottle on your nightstand so the habit requires no additional steps when you get up.

☐ Plan lunches around lean protein and hydrating vegetables

Hydrating vegetables — cucumbers, zucchini, romaine, celery, and tomatoes — contain 90 to 95 percent water and contribute meaningfully to your daily fluid intake while adding vitamins and fiber. Build lunches around a base of these vegetables topped with grilled chicken, canned fish, hard-boiled eggs, or beans. A composed salad or grain bowl can be assembled in under five minutes with pre-cooked ingredients kept in the refrigerator.

☐ Weigh or measure protein portions at least once per week

Visual estimation of protein portions becomes less accurate over time, especially for older adults who may have smaller appetites. Once a week, weigh your protein source on a kitchen scale or use measuring cups for items like Greek yogurt and cottage cheese to confirm that your portions are actually delivering 25 to 30 grams. This one calibration step keeps the rest of the week more accurate without requiring daily measuring.

☐ Review your hydration tracker each evening

Before going to bed, check your daily hydration tracker. If you are two or more glasses short, adjust your schedule the following day to move more water intake into the morning and afternoon hours. Catching up on fluids in the evening is less effective because the body processes and excretes water more efficiently during active daytime hours. Use the evening review as a planning moment, not a guilt exercise.

☐ Speak with your doctor before significantly changing protein intake

Older adults with kidney disease or certain other chronic conditions may need to limit rather than increase protein intake. Before adopting a higher-protein eating pattern, mention your plan to your physician or a registered dietitian. They can confirm an appropriate protein target for your individual health situation. If you are enrolled in Medicare, nutrition counseling with a registered dietitian may be covered as a preventive service.

What to Do Next

After completing your first full week with this planner, review your hydration tracker and note any days where you consistently fell short — those patterns reveal where your schedule needs a structural adjustment, like adding a water reminder at a specific hour. In week two, consider introducing one new protein source you have not tried before, such as edamame, cottage cheese pancakes, or a lentil soup, to build variety into your routine. If you want additional personalized guidance, ask your primary care provider for a referral to a registered dietitian who specializes in older adult nutrition — many Medicare Advantage plans cover this service at no additional cost.

Print this page. Work through one box at a time. Every box you check is one more layer of protection.